


PYTHON CHEAT SHEET



About this Cheat Sheet

This cheat sheet includes the materials We've covered in our Python tutorial for Beginners. This cheat cover the core language constructs but they are not complete by any means.



CONTEXT

Variables	4
Comments	4
Receiving Input	4
Strings	5
Arithmetic Operations	6
If Statements	7
Comparison operators	7
While loops	7
For loops	8
Lists	8
Tuples	8
Dictionaries	9
Functions	9
Exceptions	10
Classes	10
Inheritance	11
Modules	11
Packages	12
Python Standard Library	12
Pypi	13

VARIABLES

We use variables to temporarily store data in computer's memory.

```
price = 10
```

```
rating = 4.9
```

```
course_name = 'Python for Beginners'
```

```
is_published = True
```

In the above example,

- **price** is an integer (a whole number without a decimal point)
- **rating** is a float (a number with a decimal point)
- **course_name** is a string (a sequence of characters)
- **is_published** is a boolean. Boolean values can be True or False.

COMMENTS

We use comments to add notes to our code. Good comments explain the hows and whys, not what the code does. That should be reflected in the code itself. Use comments to add reminders to yourself or other developers, or also explain your assumptions and the reasons you've written code in a certain way.

```
# This is a comment and it won't get executed.
```

```
# Our comments can be multiple lines.
```

RECEIVING INPUT

We can receive input from the user by calling the **input()** function.

```
birth_year = int(input('Birth year: '))
```

The **input()** function always returns data as a string. So, we're converting the result into an integer by calling the built-in **int()** function.

STRINGS

We can define strings using single (‘ ’) or double (“ ”) quotes. To define a multi-line string, we surround our string with tripe quotes (“””).

We can get individual characters in a string using square brackets [].

```
course = ‘Python for Beginners’
```

```
course[0] # returns the first character
```

```
course[1] # returns the second character
```

```
course[-1] # returns the first character from the end
```

```
course[-2] # returns the second character from the end
```

We can slice a string using a similar notation:

```
course[1:5]
```

The above expression returns all the characters starting from the index 1 to 5 (but excluding 5). The result will be ytho

If we leave out the start index, 0 will be assumed.

If we leave out the end index, the length of the string will be assumed.

We can use formatted strings to dynamically insert values into our strings.

```
name = ‘Mosh’
```

```
message = f’Hi, my name is {name}’
```

```
message.upper() # to convert to uppercase
```

```
message.lower() # to convert to lowercase
```

```
message.title() # to capitalize the first letter of every word
```

```
message.find(‘p’) # returns the index of the first occurrence of p
```

(or -1 if not found)

```
message.replace(‘p’, ‘q’)
```

To check if a string contains a character (or a sequence of characters), we use the `in` operator:

`contains = 'Python' in course`

ARITHMETIC OPERATIONS

`+`

`-`

`*`

`/` # returns a float

`//` # returns an int

`%` # returns the remainder of division

`**` # exponentiation - $x ** y = x$ to the power of y

Augmented assignment operator:

`x = x + 10`

`x += 10`

Operator precedence:

1. parenthesis
2. exponentiation
3. multiplication / division
4. addition / subtraction


IF STATEMENTS

```
if is_hot:  
    print("hot day")  
elif is_cold:  
    print("cold day")  
else:  
    print("beautiful day")
```




Logical operators:

```
if has_high_income and has_good_credit:  
    ...  
if has_high_income or has_good_credit:  
    ...  
is_day = True  
is_night = not is_day
```



COMPARISON OPERATORS

```
a > b  
a >= b (greater than or equal to)  
a < b  
a <= b  
a == b (equals)  
a != b (not equals)
```



WHILE LOOPS

```
i = 1  
while i < 5:  
    print(i)  
    i += 1
```



FOR LOOPS

for i in range(1, 5):

print(i)

- **range(5)**: generates 0, 1, 2, 3, 4
- **range(1, 5)**: generates 1, 2, 3, 4
- **range(1, 5, 2)**: generates 1, 3



LISTS

numbers = [1, 2, 3, 4, 5]

numbers[0] # returns the first item

numbers[1] # returns the second item

numbers[-1] # returns the first item from the end

numbers[-2] # returns the second item from the end

numbers.append(6) # adds 6 to the end

numbers.insert(0, 6) # adds 6 at index position of 0

numbers.remove(6) # removes 6

numbers.pop() # removes the last item

numbers.clear() # removes all the items

numbers.index(8) # returns the index of first occurrence of 8

numbers.sort() # sorts the list

numbers.reverse() # reverses the list

numbers.copy() # returns a copy of the list



TUPLES

They are like read-only lists. We use them to store a list of items. But once we define a tuple, we cannot add or remove items or change the existing items.

coordinates = (1, 2, 3)

We can unpack a list or a tuple into separate variables:

x, y, z = coordinates



DICTIONARY

We use dictionaries to store key/value pairs.

```
customer = {  
    "name": "John Smith",  
    "age": 30,  
    "is_verified": True  
}
```



We can use strings or numbers to define keys. They should be unique. We can use any types for the values.

```
customer["name"] # returns "John Smith"  
customer["type"] # throws an error  
customer.get("type", "silver") # returns "silver"  
customer["name"] = "new name"
```



FUNCTIONS

We use functions to break up our code into small chunks.

These chunks are easier to read, understand and maintain. If there are bugs, it's easier to find bugs in a small chunk than the entire program. We can also re-use these chunks.

```
def greet_user(name):  
    print(f"Hi {name}")  
greet_user("John")
```



Parameters are placeholders for the data we can pass to functions.

Arguments are the actual values we pass.

We have two types of arguments:

- Positional arguments: their position (order) matters
- Keyword arguments: position doesn't matter - we prefix them with the parameter name.



```
# Two positional arguments  
greet_user("John", "Smith")
```

```
# Keyword arguments
```

```
calculate_total(order=50, shipping=5, tax=0.1)
```

Our functions can return values. If we don't use the return statement, by default

None is returned. None is an object that represents the absence of a value.

```
def square(number):  
    return number * number  
result = square(2)  
print(result) # prints 4
```

EXCEPTIONS

Exceptions are errors that crash our programs. They often happen because of bad input or programming errors. It's our job to anticipate and handle these exceptions to prevent our programs from crashing.

```
try:  
    age = int(input('Age: '))  
    income = 20000  
    risk = income / age  
    print(age)  
except ValueError:  
    print('Not a valid number')  
except ZeroDivisionError:  
    print('Age cannot be 0')
```

CLASSES

We use classes to define new types.

```
class Point:  
    def __init__(self, x, y):  
        self.x = x  
        self.y = y  
    def move(self):  
        print("move")
```

When a function is part of a class, we refer to it as a method. Classes define templates or blueprints for creating objects. An object is an instance of a class. Every time we create a new instance, that instance follows the structure we define using the class.

```
point1 = Point(10, 5)
```

```
point2 = Point(2, 4)
```

`__init__` is a special method called constructor. It gets called at the time of creating new objects. We use it to initialize our objects.

INHERITANCE

Inheritance is a technique to remove code duplication. We can create a base class to define the common methods and then have other classes inherit these methods.

```
class Mammal:
```

```
def walk(self):
```

```
print("walk")
```

```
class Dog(Mammal):
```

```
def bark(self):
```

```
print("bark")
```

```
dog = Dog()
```

```
dog.walk() # inherited from Mammal
```



```
dog.bark() # defined in Dog
```

MODULES

A module is a file with some Python code. We use modules to break up our program into multiple files. This way, our code will be better organized. We won't have one gigantic file with a million lines of code in it!

There are 2 ways to import modules: we can import the entire module, or specific objects in a module.



```
# importing the entire converters module
import converters
converters.kg_to_lbs(5)
# importing one function in the converters module
from converters import kg_to_lbs
kg_to_lbs(5)
```




PACKAGES

A package is a directory with `__init__.py` in it. It can contain one or more modules.

```
# importing the entire sales module
from ecommerce import sales
sales.calc_shipping()
```




```
# importing one function in the sales module
from ecommerce.sales import calc_shipping
calc_shipping()
```



PYTHON STANDARD LIBRARY


Python comes with a huge library of modules for performing common tasks such as sending emails, working with date/time, generating random values, etc.



Random Module

```
import random
```

```
random.random() # returns a float between 0 to 1
random.randint(1, 6) # returns an int between 1 to 6
```



```
members = ['John', 'Bob', 'Mary']
leader = random.choice(members) # randomly picks an item
```



PYPI

Python Package Index (pypi.org) is a directory of Python packages published by Python developers around the world. We use pip to install or uninstall these packages.

```
pip install openpyxl
```

```
pip uninstall openpyxl
```



THANK YOU